

## 1. Product Identification

Trade Name : **Super Acryl**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against .

Cement product for ceramics product category Super Acryl is a multipurpose flexible construction adhesive based on cement and intended for interior and exterior use.

#### Applications of the substance / mixture :

- Fixing ceramic tiles, clinker brick and glass and other mosaics onto wall and floor surfaces;
- Fixing floor ceramics in buildings with floor heating;
- Fixing ceramics in pools and - Fixing ceramics onto old ceramic linings

The product is a chemical compound characterized by low content of hazardous substances. It has been verified that, apart from cement, the product does not contain any other hazardous and volatile organic substances and heavy metals. Certified low emission of substances into a place during use is also characteristic of the product.

### 1.3 Details of the supplier of the safety data sheet, Manufacturer/Supplier And For Further Information:

VALI-GROUP Sh.P.K.

[www.valifix.com](http://www.valifix.com)

[info@valifix.com](mailto:info@valifix.com); [administrata@valifix.com](mailto:administrata@valifix.com); [valicompany@yahoo.com](mailto:valicompany@yahoo.com);

St. Tirana No: 9, (Industrial Zone Of Prizren).

Prizren 20000, KOSOVO

Armend Gashi +38349140305

Additional number : +38344140305. During normal opening times (8 - 16h CET)



Figure 1 Product Package Design (25 KG)

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

In accordance with Regulations on the classification of chemicals (Rules on classification and mainly directives EU 1967/548/EEC and 1999/45/EC, neither bound by the Regulation CLP 2008/1272/EC), the product is classified as a hazardous compound since it contains cement.

### 2.2 Classification according to Regulation (EC) No 1272/2008

Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

### 2.3 Label Elements

2.2 Label elements · Labelling according to EU guidelines: The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

#### · Code letter and hazard designation of product:



Xi Irritant.

#### Hazard-determining components of labelling:

Cement, Portland, chemicals

#### Risk phrases:

37/38 Irritating to respiratory system and skin.

41 Risk of serious damage to eyes.

43 May cause sensitization by skin contact.

#### · Safety phrases:

2 Keep out of the reach of children.

24/25 Avoid contact with skin and eyes.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

28 After contact with skin, wash immediately with plenty of water.

37/39 Wear suitable gloves and eye/face protection.

46 If swallowed, seek medical advice immediately and show this container or label.

#### Special labelling of certain preparations:

##### · 2.3 Other hazards

##### · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

## 3. Physical And Chemical Properties

### 3.1 Information on basic physical and chemical properties

#### General Information

#### Appearance :

|                 |                 |
|-----------------|-----------------|
| Form :          | Powder          |
| Color :         | Dark Grey       |
| Odor:           | Odorless        |
| Odor threshold: | Not determined. |

pH-value at 20 C: 12

#### Change in condition

|                              |               |
|------------------------------|---------------|
| Melting point/Melting Range: | Undetermined. |
| Boiling point/Boiling Range: | Undetermined. |

Flammability (solid, gaseous) : Not determined.

Decomposition Temperature : Not determined.

Self-igniting : Product is not self-igniting.

Danger of explosion: Product does not present an explosion hazard.

Vapor pressure : Not applicable.

Density at 20 C : 1.1 g/cm<sup>3</sup>

Evaporation rate: Not applicable.

Solubility in water : Soluble.

#### Viscosity:

|            |                 |
|------------|-----------------|
| Dynamic:   | Not applicable. |
| Kinematic: | Not applicable  |

#### Solvent Content :

Organic solvents : 0.0%

VOC (EC) : 0.0%

VOC content: not specified

(The product is not subject to the Directive 2004/42/CE).

## 4. Ecological Information

### Toxicity

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bio accumulative potential** No further relevant information available. ·

**Mobility in soil** No further relevant information available.

### • **Additional ecological information:**

#### • **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

#### • **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.